Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	31	lee adj dong-yang.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 10:29
S2	1	S1 and @ad<"20030913" and port$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 12:56
S3	9913	port$2 near select$3 and @ad<"20030913"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 10:57
S4	5	S3 and write near only near port same read near write near port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 10:47
S6	18	S3 and read adj only adj port and read/write adj port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 10:53
S7	0	S6 and DDR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 10:48
S8	0	S3 and improve adj transfer adj efficiency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 10:53
S9	29	S3 and transfer adj efficiency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 10:55
S10	15	S9 and buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 10:53

S11	2	S10 and RAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 10:54
S12	475	S3 and dual adj port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:12
S14	149	S12 and read adj only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:12
S15	75	S14 and bidirectional	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 12:53
S16	103	S14 and bi$1directional	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:12
S17	36	S16 and port adj select	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:13
S18	36	S17 and $5RAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:17
S19	10	S17 and RAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:17
S20	36	S18 and (FIFO buffer queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:22
S21	0	"710"/$.ccls. and input adj port near selection same dual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:25

S22	3	"710"/$.ccls. and input adj port near selection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:27
S23	51	"710"/$.ccls. and first adj port and second adj port and port adj select$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:28
S24	32	S23 and buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:28
S25	5	S24 and IC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:28
S26	14	S24 and integrated adj circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:34
S27	0	("2004/0088442").URPN.	USPAT	OR	OFF	2006/01/31 11:28
S28	3	@ad<"20030913" and separate same read adj port and read adj write adj port same port adj select	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 11:35
S29	8	("4752871" | "5781480" | "5828606" | "5838631" | "5841732" | "5875151" | "6081478" | "6094399").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/31 11:50
S30	51	@ad<"20030913" and input adj port and bidirectional adj port and input?output adj port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 12:54
S31	40	S30 and buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 12:54
S32	1	S31 and select$3 near port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 12:55

S33	0	S1 and @ad<"20020913" and read adj only adj port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 12:56
S34	0	S1 and @ad<"20020913" and read?only adj port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 12:56
S35	118	@ad<"20020913" and read?only adj port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 12:56
S36	85	S35 and buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 12:56
S37	24	S36 and dual adj port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 12:56
S38	0	S36 and bidirection near port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 12:57
S39	4	S36 and bidirection$2 near port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 12:57